Shuttle®

T U

Y

L L

g L

L bN oM "O" N M "O NOoM N o M
" 5Nb" o "cMyoN o M

L Llg L L L L L L L L L L L M / M
L L L L L L L L L L L L L L
L L L M L L L L L L 7M@L L v LML L
L L L L L L L L L L L L
L L L L L L L L L L L L L L
L L L L L L L L L L L L L L

L

L

L

L

L

L

ANDROIDL L FANLESSL L 24/7 SUPPORT L Max. 40 °C L IP54 FRONT L ENERGY SAVING L CameraL L / 4a · L gL aM g lMgl L L POWER OVER ETHERNET L WLAN-ac L VESA MOUNTL L LTE OPTIONAL L

L

c5N " M

- Front Panel IP54 protected
- Robust housing (metal & plastic), blackL
- Dimensions: 603 x 75 x 29 mm (LWH)L
- VESA mount supports 50, 75 & 100 mmL
- Operating position: horizontal or verticalL
- Operating temperature: 0~40 °CLL
- Passive cooling (fanless)

L

i " N M

- Resolution: 1920 x 158 pixels
- Active screen size: 586 x 48 mm (23.1")
- Contrast: 3000:1, Brightness: 400 nits
- Viewing angle: 178°/178° (hor./vert.)LL

L

M M y N oM

- Android operation system v7.1 "Nougat"
- Shuttle Digital Signage SoftwareLL

L

N M co M M N 5"c M

- Rockchip RK3399, up to 1.8 GHz
- Cores: 4x Cortex-A53, 2x Cortex-A72
- Mali-T860MP4 graphics engineLL

L

M

L

L L

o M

- RAM: 2 GB LPDDR4
- Flash: 16 GB eMMCLL

L

o M

- RJ45 supports Fast Ethernet Network
- WLAN-ac/BT 5.0 1T1R (SparkLAN AP6256)
- Optional LTE:
  supports one M.2-3042 4G/LTE card and one Nano SIM cardLL

L

5o M oc M M o

- USB 2.0L
- Audio Line-out (ALC5651-VB),
- Micro SD Card Reader
- DC-Input
- Camera (UXGA)
- Speaker (2 Watt)LL

L

o M M

- l L L L L L
- 4 L L Ma L L ML
- L L LL L l LL

L

la l1 lw 1 Llv L LL ll Llw L
L L L L L Llv L L L L L LL L LL L

5 o o

L

[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	7 [illegible]	7 [illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	8 87993 60116 8	8 87993 60121 2



Shuttle®


Portrait 90°
Landscape
Portrait 270°


1
1 2
1 2 3
1 2 3 4





Screen Setting
Logo setting


DC IN


DC IN


29 mm
75 mm
603 mm

5 oM M 15N i N oMoN o M

o NM M M M



c M

@ g	M g	

" M N M M M O oM

M M

5 oM M M oc"y"cN " M

M

i Mo " M	g L L L aL L L g L L L aL L M
yN o MM iM"o M	L l L L L L L L L L L L L L v L L L L L L
M M o N " M	L L L L L L L L
" oc oiM	L L L L l L L L L L L L L L L L4 L
c5N " M	L L L L L LY L L g L LL LL L L7 1 L L L L L L l ML L · L L L L L
i" N M	v L7agL 4gL L L ML L L7lgL L / L4 7 L M3 7l L L LL L L M L L L LL L L L L a L /L L a L L Y L L L L L L L L L L L L L L L · L L L L1 L 4 L 7 g L
o N " OM o M	M L L L L@ L
o" N oiM y N oM	lg L L L L L L L L
N N" Nb omM My M b" oMo "co M	/ lM Lg l/ L L L Lg L L L L M L lw L L lM L L L L M L L lM L L L· L L L L
N M co M	· aL L lM / L L / L L 5 la L L L L lw1 L g lM / la M l/ a L L lM / la M l/ a L L
" oO N oiMO N 5"c M	w l/ L l/ L L L
b N iMo M	M/ L lwYL7 gg L v L lwYL / / aL
cN o NM	/ lw a lwa L / L la/ · L L Laa/ L L L wML
N i" M	M la L lM7a YL L L L L 7 l1 L L L L L a L L L· L
" oi MN Mo M	3 L L lv ll l@ L l/ Y L l la L L 7 YL L YL L L
" o o MN M o M	7M@lM L L · L L L L L4 l l L L L L L lw1 L L lY L L
b" oMo M " N M	/ l5 lYL L L L w 7 l L L 4/ L L L l@ L 4/ L L L L L7 l L L L4 l l/ 1 vL L L @ lM l7 l L L L L 4/ L L L L L7 l L L L L L L lg L L L L ll / 3 M l l7 l L L L L L L

c oc M	/ L gla L L 7M@aL 3 L L l L L YL L LM L M L7 L L L lga 4 L L L L L L lga 4 LM L L
o NiN o M	l L L L L L L 4 L L LMaL · L L L L LM L L L L gala L L L L L L
oM M	L l ll L l L4 L L L L LML
o " o N M c " o 'NM	· L L LaL 1 L L L
co 'y'cN " Ni M c 'N coM	l / 4lal lvaa LY / 4L a/ L aa4L l gL laY LY / 4ll 7 L4 L L · L L 1 ll L7 ll L L

L

L L

L

Screenshots of the Standalone App



M M M M M M

Dashboard
Statistics
Media library
Project management
Device management
Screen settings
Account management
Verification mailbox
History
5.4 %
Disk Usage
12.7GB / 50GB
13.33 %
Memory Usage
1.0GB / 7.5GB
0 %
Device Usage
0 unit(s) / 0 unit(s)
Time
Model
Firmware Version
App Version
Status
No data!


D230_00043
Cancel
Save
Information
Play schedule
Interventional project
Play settings
Basic info
Device group
Not assigned
Assign group
Search:
Name
No data!


History
All
Project
Device
User
Refresh
Search:
Type
DateTime
User
IP
Event
User 2020-06-11 13:19:48 admin 192.168.10.125 admin logged in
User 2020-06-11 13:19:30 admin 192.168.10.125 admin logged out
Device 2020-06-11 11:49:09 admin 192.168.10.125 D230_00043 deleted
Device 2020-06-11 11:49:07 192.168.10.136 D230_00043 upgraded App
Device 2020-06-11 11:49:04 192.168.10.136 D230_00043 upgraded App
Device 2020-06-11 11:49:01 192.168.10.136 D230_00043 upgraded App
Device 2020-06-11 11:48:58 192.168.10.136 D230_00043 upgraded App
Device 2020-06-11 11:48:55 192.168.10.136 D230_00043 upgraded App
Device 2020-06-11 11:48:52 192.168.10.136 D230_00043 upgraded App
Device 2020-06-11 11:48:49 192.168.10.136 D230_00043 upgraded App
Device 2020-06-11 11:48:46 192.168.10.136 D230_00043 upgraded App


Media Library
New
Name
Time
All
Picture
Video
Cover view
Show Info
d230
100 %


Project Management
General project
Interventional project
New
Preview
Play
View
Edit
Delete
Layout:
Landscape
Left 90°
Right 90°
Search:
Name
Layout
Time
Size(MB)
List of devices or device groups that have applied this project
TEST12
Landscape Full screen
2020-06-10 17:33:13
6.7MB
TESTT
Landscape Full screen
2020-06-10 15:01:13
0.0MB
D230_00043


Screen Settings
Cancel
Save
Basic Settings
Facial recognition
Play content replacement
In the recognition mode, replace the basic playing time of recognition content.
3 secs
5 secs
10 secs